



THE INDUSTRY REFERENCE FOR PREMIUM CONNECTIONS

EXCELLENT GAS SEALABILITY

EXTREME COMPRESSION RESISTANCE

SUITABLE FOR STANDARD & EXTREME CONDITIONS





SUITABLE FOR ALL **APPLICATIONS, EVEN** THE MOST CRITICAL.

VAM TOP[®] is recognized as setting the standard in reliability and performance in threaded and coupled premium connections. With a track record of over 30 years, the connection minimizes the risks that result from the most severe combined loads making it a suitable solution for even the most critical applications.

PERFORMANCE

- In Tension, VAM TOP® is stronger than the pipe
- In Compression, rating up to 100% PBYS
- Excellent gas sealability
- Bending up to 30°/100 feet with sealability
- Extensive testing program according to the industry standards (including ISO 13679 CAL-IV)
- Field proven with numerous track records

APPLICATIONS

- Production casing
- Tubing
 - Liner
 - Tie-back • HP/HT well designs

PRODUCT RANGE

Sizes: From 2 3/8" to 16"

Grades: Carbon, Martensitic stainless steel (13%CR & Super 13%CR), Duplex, Super Duplex and Nickel base Alloys

YS: 55 ksi to 140 ksi

Enhanced products:

dgeometry

1-3°

+10°

- VAM TOP® HT for high torques
- VAM TOP® HC
- for high compression - VAM TOP® FE
- for fatigue enhanced
- Special clearance
- and special bevel options
- GRE Liner validated as per ISO 13679 CAL-IV

EXTENSIVE OFFER

Large range of sizes and grades, for all types of applications.



FIELD PROVEN

30 years of extensive track records on a wide variety of fields and applications.

HIGH PERFORMANCE


Large performance envelope and reliable design for easy running.

100% API 5C3 -

Pipe Body

100% CYS

VAMTOP® TUBING VME PERFORMANCE ENVELOPPE




A CONTINUOUS SUCCESS STORY:

VAM TOP[®] is the most widely used Threaded and Coupled premium connection in both tubing and casing sizes. Every minute since the beginning of its success story, a pipe threaded with VAM TOP® is run in a well.







NEED MORE INFORMATION?

Information is available online on solutions.vallourec.com or by scanning the following QR code.





solutions.vallourec.com



contact@vallourec.com Headquarters

12, rue de la Verrerie 92190 Meudon - FRANCE Phone: +33 1 49 09 35 00 www.vallourec.com